

































List of power feed contact				
Ref. No	Model	Picture	Description	Application
S001	3080316		Conductivity piece B (upper) D=18 x 10 mm Guide unit type 83	330W.453W.654W.G3A.G5A
S002	3080314		Conductivity piece A (lower) D=18 x 14 mm / Cermet Guide unit type 83.84	EPOC3W.330W.453W.654W.GW3.GW4.GW5. G3A.G5A.GOW5.GOW3
S003S	3080318		Conductivity piece C (upper) 16 x 10 mm / Silver tungsten Guide unit type 84-AWT	330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W
S003T			Conductivity piece C (upper) 16 x 10 mm / Cermit Guide unit type 84-AWT	330W.453W.654W.GOW3.GOW5.GO3.GO5. GW3.GW5.G3A.G5A.EPOC3W
S004S	3080324		Conductivity piece S (upper) 14 x 11 x 12 mm / Silver tungsten Guide unit type 85-3	AW330.
S005LS	3080307		Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series
S005RS	3080308		Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Silver tungsten Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series
S005LT			Conductivity piece D (UT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series
S005RT			Conductivity piece D (DT) 12.5 x 14 x 11.7 mm / Cermit Guide unit type 85-2. 85-3 with 3WS / manual	GOW3.GOW5.GO3.GO5.GW3.GW5.AW453.3 WS. BF250/275. series EPOC3W/5W/6W/8W/300 series
S006S	3080311		Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Silver tungsten Guide unit type 85-2. 85-3	GO3.GO5.GW3.GW5.GOW5.AW330.AW453. EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series
S006T	3080312		Conductivity piece D (lower) 12.5 x 19 x 11.6 mm / Cermit Guide unit type 85-2. 85-3	GO3.GO5.GW3.GW5.GOW5.AW330.AW453. EPOC3W/3WS/5W/6W/8W/300 series. BF250/275 series
S008S	3080320		Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Silver tungsten Guide unit type KM-3	AP150.PGW150
S008T	3082582		Conductivity piece P U-shape (upper & lower) D=12 x 20.6 mm / Cermit Guide unit type KM-3	AP150.PGW150
Not delivery	3080303		Conductivity KM-1 / Flat D=12 x 20.6 mm / Cermit Guide unit type KM-1	150W
Not delivery	3081325		Conductivity KM-1 / Flat D=12 x 20.6 mm / Tungsten cabide Guide unit type KM-1	150W
S009S	3080301		Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Silver tungsten Guide unit type 86-1	AW330/453 series. EPOC300/500/600/800 series
S009T	3082580		Conductivity piece P-AWT / U-shape (upper & lower) 10 x 8 x 30 mm / Cermit Guide unit type 86-1	AW330/453 series. EPOC300/500/600/800 series
	3082579		Conductivity piece P-AWT / U-shape (upper) 10 x 8 x 30 mm / Cermit Guide unit type 86-2	A350.A500/.W/.H/.WH/.S/.SS/.SSW series AP300/330/450. AW330/453. BF275. EPOC300/500/600/800 series
S010	3085936 3080972 3084592		Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm Guide unit type 87-3	AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series
S010G			Conductivity piece 87-3 (upper & lower) 4.8 x 40 x 20 mm / Special long life type Guide unit type 87-3	AQ. A. EPOC. AP. BF. JL. PGW. EXC. AF series

List of wire guide dies				
Ref. No	Model	Picture	Description	Application
S100	3082983		Diamond split guide AWT D=0.11 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type
	3081436		Diamond split guide AWT D=0.21 mm	
	3083330		Diamond split guide AWT D=0.26 mm	
S101	3080046		Sapphire split guide AWT D=0.11 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT type
	3080047		Sapphire split guide AWT D=0.21 mm	
	3080048		Sapphire split guide AWT D=0.06 mm	
	3080051		Sapphire split guide AWT D=0.12 mm	
	3080053		Sapphire split guide AWT D=0.16 mm	
	3080055		Sapphire split guide AWT D=0.17 mm	
	3080058		Sapphire split guide AWT D=0.22 mm	
	3080061		Sapphire split guide AWT D=0.27 mm	
	3080063		Sapphire split guide AWT D=0.32 mm	
	3080629		Sapphire split guide AWT D=0.26 mm	
	3081239		Sapphire split guide AWT D=0.07 mm	
	3081567		Sapphire split guide AWT D=0.09 mm	
	3081934		Sapphire split guide AWT D=0.31 mm	
	3081958		Sapphire split guide AWT D=0.05 mm	
3082687	Sapphire split guide AWT D=0.08 mm			
3083122	Sapphire split guide AWT D=0.04 mm			
S102	3080231		Diamond dies guide D=0.05 mm	150W / AP150 / BF275 / EPOC300 / AW Manual type Upper & lower Guide unit 83. 84. 85-2. 85-3. KM-1. KM-3 type
	3080232		Diamond dies guide D=0.06 mm	
	3080233		Diamond dies guide D=0.07 mm	
	3080234		Diamond dies guide D=0.09 mm	
	3080235		Diamond dies guide D=0.10 mm	
	3080236		Diamond dies guide D=0.105 mm	
	3080237		Diamond dies guide D=0.11 mm	
	3080238		Diamond dies guide D=0.12 mm	
	3080240		Diamond dies guide D=0.16 mm	
	3080241		Diamond dies guide D=0.17 mm	
	3080243		Diamond dies guide D=0.205 mm	
	3080244		Diamond dies guide D=0.21 mm	
	3080245		Diamond dies guide D=0.22 mm	
	3080247		Diamond dies guide D=0.255 mm	
	3080248		Diamond dies guide D=0.26 mm	
	3080249		Diamond dies guide D=0.27 mm	
	3080250		Diamond dies guide D=0.31 mm	
	3080251		Diamond dies guide D=0.32 mm	
3080512	Diamond dies guide D=0.155 mm			
3083135	Diamond dies guide D=0.08 mm			
3087704	Diamond dies guide D=0.305 mm			
S103	3080982		Diamond guide 87-3 type D=0.22 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series Without AWT option = Upper & lower With AWT option = Lower 87-3 type
	3080990		Diamond guide 87-3 type D=0.26 mm	
	3080991		Diamond guide 87-3 type D=0.31 mm	
	3080998		Diamond guide 87-3 type D=0.11 mm	
	3080999		Diamond guide 87-3 type D=0.16 mm	
	3081000		Diamond guide 87-3 type D=0.21 mm	
	3081015		Diamond guide 87-3 type D=0.12 mm	
	3081016		Diamond guide 87-3 type D=0.17 mm	
	3081017		Diamond guide 87-3 type D=0.27 mm	
	3081018		Diamond guide 87-3 type D=0.32 mm	
	3081424		Diamond guide 87-3 type D=0.09 mm upper	
	3081425		Diamond guide 87-3 type D=0.08 mm upper	
	3081426		Diamond guide 87-3 type D=0.07 mm upper	
	3081427		Diamond guide 87-3 type D=0.06 mm upper	
	3081428		Diamond guide 87-3 type D=0.05 mm upper	
	3081430		Diamond guide 87-3 type D=0.09 mm lower	
	3081431		Diamond guide 87-3 type D=0.08 mm lower	
	3081432		Diamond guide 87-3 type D=0.07 mm lower	
	3081433		Diamond guide 87-3 type D=0.06 mm lower	
	3081434		Diamond guide 87-3 type D=0.05 mm lower	
3081475	Diamond guide 87-3 type D=0.35 mm			
















List of wire guide dies				
Ref. No	Model	Picture	Description	Application
S103L	3081136		Diamond long guide 87-3L type D=0.21 mm	AWT taper upper only A280L.A320L.A series
	3081137		Diamond long guide 87-3L type D=0.22 mm	
	3081138		Diamond long guide 87-3L type D=0.26 mm	
	3081139		Diamond long guide 87-3L type D=0.31 mm	
	3081490		Diamond long guide 87-3L type D=0.16 mm	
	3081516		Diamond long guide 87-3L type D=0.27 mm	
	3081715		Diamond long guide 87-3L type D=0.17 mm	
	3081716		Diamond long guide 87-3L type D=0.12 mm	
	3081717		Diamond long guide 87-3L type D=0.11 mm	
	3081718		Diamond long guide 87-3L type D=0.32 mm	
S104	3080202		Sapphire guide D=0.05 mm	AQ / A / EPOC / AP / BF / JL / PGW / EXC / AF series AWT OD=3.0 mm Guide unit 83. 84. 85-2. 85-3. 86-1. 90-1. 90-3 90-5. KM-1. KM-3 type
	3080204		Sapphire guide D=0.06 mm	
	3080205		Sapphire guide D=0.07 mm	
	3080206		Sapphire guide D=0.08 mm	
	3080207		Sapphire guide D=0.09 mm	
	3080210		Sapphire guide D=0.11 mm	
	3080211		Sapphire guide D=0.12 mm	
	3080213		Sapphire guide D=0.16 mm	
	3080214		Sapphire guide D=0.17 mm	
	3080219		Sapphire guide D=0.21 mm	
	3080220		Sapphire guide D=0.22 mm	
	3080223		Sapphire guide D=0.26 mm	
	3080224		Sapphire guide D=0.27 mm	
	3080225		Sapphire guide D=0.31 mm	
	3080226		Sapphire guide D=0.32 mm	
	3080227		Sapphire guide D=0.35 mm	
3080229	Sapphire guide A for AWT D=0.40 mm			
3085043	Sapphire guide A for AWT D=0.60 mm			
S105			Diamond guide D=0.21 mm	AP150 - Manual type High long Upper & lower
			Diamond guide D=0.26 mm	
			Diamond guide D=0.31 mm	
S106	3080065 3080375		Guide sapphire C OD=10.0 x ID=0.80 mm x 10 mmL for manual (for upper guide parts)	Lower guide unit 86-1. 87-3 type
S108	3082269		Guide sapphire C1 OD=10.0 x ID=2.0 mm x 10 mmL for AWF (for upper guide parts)	Upper guide unit 86-1-5. 87-3. 90-1. 90-3 Lower guide unit 87-3. 90-1. 90-3
			Guide sapphire C2 D=8.0 x 10 mm for AWT	
SE700			Dies block for S102 dies guide	AW330

List of water nozzle parts				
Ref. No	Model	Picture	Description	Application
S200	3081591		Water nozzle 2 Guide unit type 85-2	AW330/453 series. BF250/275 series POC300/3W/3WS/5W/6W/8W series GW/GOW/GO series
S201	3081594		Water nozzle NE guide / Upper & lower D=5 mm for SUS assy 84 type	330W.453W.654W / EPOC3W
S202	3082085		Rectification nozzles 3WS Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300
S202A	3080030		Water jacket 3WS assy Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300
S202B	3080593		Adjusting nut 3WS assy Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300
S202C	3080358		Water nozzle 3WS assy D=5 mm Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300
S202set	3080639		Water nozzle 3WS assembly Upper & lower Manual Guide unit type 85-2	AW330.453 / BF275 / EPOC300
S203S	Special type		Nozzle P upper & lower D=10 mm	AP150 KM-3 type
S203	3082056		Nozzle P / upper & lower D=6 mm Guide unit type KM-3	AP150
S204	3082055		Water nozzle / upper & lower D=5 mm Guide unit type KM-1	150W
S205			Water nozzle / upper & lower D=10 mm Guide unit type KM-1	150W
S206			Water guide with nose / upper & lower D=5 mm Guide unit type KM-1	150W
S207	3081604		Nozzle C upper / Standard D=6 mm	AQ / A / EPOC / AP / PGW / EXC / BF / JL series 86-2 / 90-1 type with AWT
	3081606		Nozzle H2 upper / Standard D=10 mm	
	3081868		Nozzle T2 for taper 30Gr. D=12 mm	
	3082997		Nozzle G3 upper D=3 mm Without AWT	
	3082998		Nozzle G4 upper D=4 mm Without AWT	
S207L	3081682		Long nozzle LN1 upper D=6 x 6.5 mmL	AQ.A.EPOC series. AP200...550 PGW200.EXC100.BF.JL series 86-2 / 90-1 type with AWT
	3081683		Long nozzle LN2 upper D=10 x 6.5 mmL	
	3081684		Long nozzle LN3 upper D=6 x 11.5 mmL	
	3081685		Long nozzle LN4 upper D=10 x 11.5 mmL	
S207L	3081689		Long nozzle LN5 upper D=6 x 16.5 mmL	A / EPOC / AP / PGW / EXC / BF / JL 86-2 / 90-1 type with AWT
	3081690		Long nozzle LN6 upper D=10 x 16.5 mmL	
	3082396		Long nozzle LN7 upper D=6 x 26.5 mmL	
	3082397		Long nozzle LN8 upper D=10 x 26.5 mmL	




List of connected parts				
Ref. No	Model	Picture	Description	Application
S209	3081674		Nozzle A D=6 mm	A / EPOC / AP / PGW / EXC / BF / JL 87-3 type OD=29.8 - 16.0 mm L=16.3 mm AWT =lower Manual=upper & lower
	3081675		Nozzle H1 D=10 mm	
	3081676		Nozzle B D=8 mm	
	3081867		Nozzle T1 for taper 30Gr. D=12 mm	
	3082156		Nozzle E2 D=2 mm	
	3082207		Nozzle E4 D=4 mm	
S209-1	3086396		Float nozzle S / Lower without O-ring D=6 mm AWT	AP200L.450L 90-3 type O.D=34.8 mm - 12.8 mm L=17.0 mm
	3086742		Float nozzle T / Lower without O-ring D=12 mm AWT	
	3086746		Float nozzle F / Lower without O-ring D=10 mm AWT	
S209W	3086386		Float nozzle S lower D=6 mm standard without O-ring	AQ. series. AP300...550 series 87-3 type AWT O.D=29.8 mm - 12.8 mm L=17.6 mm
	3086443		Float nozzle F lower D=10 mm without O-ring	
	3086486		Float nozzle T lower D=12 mm without O-ring	
	Special		Float nozzle S lower D=4 mm without O-ring	
S210	3082603		Nozzle lower D=12 mm Lehmann type AWT	A280L.....L series


S301	3080178		Isolator plate upper 90-1 type AWT	
S302	3082518		Guide block ceramic for compact cylinder (connected with S5013-set) 72 x 50.5 x 20 mmT / Center hole = 13.5 mm	A530D.....etc 90-1 type AWT
S400	3050098		Pulley "E" for belt / SUS / AS-5543 D=25 mm x 24 mm	
S400-1			SUS pulley only for S400	
S400C/2 Not delivery	3050131		Pulley "E" for belt / Ceramic with 2 mm groove D=25 mm	
S400C	3050105		Pulley "E" for belt / Ceramic with 6 mm groove D=25 mm	BF275 / EPOC series
S400C-1			Ceramic pulley only for S400C	BF275 / EPOC series
S400C/F	3050047		Pulley "E" assembly for belt / Ceramic flat type D=25 mm	EPOC series / AP series
S400C/F-1			Ceramic pulley only for S400C/F	EPOC series / AP series
S401			SS626LLB Bearing for pulley	16 x 18
S405			Roller upper for wire belt	AP200
S406	3086387		Nozzle base upper for S209W	AQ.A series AP300...550 series
S406-1	3086221		Spring ring lower for float nozzle	AQ series AP300...550 series
S407	3082668		Nozzle base for S209 Lower for AWF / Upper & lower for manual type	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type
S407-1	3082669		Nozzle base for S209 Lower for manual type	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 87-3 type


List of connected parts				
Ref. No	Model	Picture	Description	Application
S408	3082804		Nozzle base upper for S207	AQ.A.EPOC series. AP200...550. JL. PGW200.EXC100.BF 90-1 type
S409	3082629		Nozzle baser lower	A320L. 530L.325L series
S411			Urethane roller upper OD100 x ID12 x 20 mmH	A500. A-series AP330.AP150.A350
S410			Urethane roller upper OD100 x ID10 x 20 mmH	A500. A-series. AP330.AP150.A350
S412			Urethane roller upper OD100 x ID10 x 20 mmH	AP.Epoc series
S412EP			Urethane roller with groove	Epoc series
S413			Urethane roller upper OD100 x ID7.0 x 20 mmT	BF275
S414	3052991		Ceramic feed roller "B" OD70 x ID15 mm	A500W.A320D.A530D
S414A	3052147		Ceramic feed roller "B" OD70 x ID12 mm / Instead of SUS	A500W-Old type
S415	3052992		Ceramic feed roller "C" OD70 x ID24 mm	A500W.A320D.A530D
S415A	3052149		Ceramic feed roller "C" OD70 x ID22 mm / Instead of SUS	A500W-Old type
S416			Tension urethane roller upper OD100 x ID12 x 20 mmH 2 x M5	A350W.A500W series
S416-1			New Nr. S418 Urethane roller for for light weight type	
S417	3053703 3054678		Tension urethane roller upper OD100 x ID19 x 20 mmH 2 x M5	AQ325L.535L....AQseries AP200
S418	3051534		Urethan roller for light weight type OD100 x 12 x 20 mmH	A320.A530
S500	3080748 3080035 3080689		Cutter upper for AWT / Tungsten cabide material	
S500	3084628		Cutter upper for AWT / Cermit material	W400135D
S600	3080375		AWT pipe upper D=2.0-1.0 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT
S600-1	3080374 3082269		AWT pipe upper D=2.0-0.7 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT
S600-2	3083256 3080069		AWT pipe upper D=2.0-0.5 mm L=285 mmL	A500.A530D.A325.EXC100.AP200L. AP450L 85AWT
S601	3083123 3080297		AWT pipe upper D=2.0-1.0-0.3 mm	AP200L .450L 85 AWT fine wire

List of connected parts				
Ref. No	Model	Picture	Description	Application
S602	3082452		AWT pipe upper D=2.0-1.0 mm L=152 mmL	A300.A320.BF275
S603	3085966		AWT pipe upper D=2.0-1.0 mm L=275 mmL	AQ600L.AQ550L 97AWT
S603-1	3085967		AWT pipe upper D=2.0-0.7 mm L=275 mmL	AQ600L.AQ550L 97AWT
S700	3080711		AWT slide belt L=335 mm	A350.A600W 85AWT
S701	3082451		AWT slide belt L=195 mm	A325.A300.A320.BF275
S702	3081706		AWT slide belt L=385 mm	A750.A500H.A350H 97AWT
S703	3080696		Spring for AWT slide belt	All type
S800	4130966		Discharge cable L=80 mm	
S801	4130799		Discharge cable L=900 mm	
S802	4130894		Discharge cable L=1100 mm	
S803	4133356		Discharge cable L=1200 mm	
S804	4130848		Discharge cable L=1500 mm	
S5010	3052148		Shaft bevel gear type for Roller B	A350.A500
S5013	3081247 Assembly		Conductivity block F (S5013-1) assembly with flanges Upper & lower	A series
S5013-1			Conductivity block F	EPOC series
S5014	3082120		Die block upper	A300.A320.A530 Manual
S5017	3082520		Flange upper	A series AWT
S5018	3082119		Flange upper	A series Manual
S5021	3083114		Flange lower	A series AWT
S5022	3083114		Flange lower	A series Manual

List of connected parts				
Ref. No	Model	Picture	Description	Application
S5023	3081035		Electric pin	
S5026			Aspirator block	A280/300/320
S5027	3081247		Aspirator block	A530
S5028			Aspirator nozzle A / Plastic material	A280.A300.A320.A530
S5029			Aspirator nozzle B / Plastic material	A280.A300.A320.A530
S5030			Aspirator nozzle C / Plastic material	A530
S5031			Pulley B (S5032) assembly set	A530D.325D. A-series
S5032	3051799		Pulley B ceramic for lower block D=68 mm	A530D.325D. A-series
S5040	3050812		Ceramic pulley E-set assembly D=32 mm	BF275 (AS5614)
S5041	3052167		Ceramic pulley E-set assembly with groove D=40 mm	EPOC1100 (AS5629A)
S5065	3030250		Bellows X	A500
S5050	3050193		Roller C D=50 x 40mm	EPOC600/800
S5041-1	3051355		Ceramic pulley "E" D=40 without groove	EPOC1100 (AS5629A)
S5058	3051945		Pipe	A500
S5059	3051947		Pipe	A350
S5047	3052147		Roller B	A series
S5062	3052361		Pipe	A750
S5087	3080795		Air - hydraulic unit	For AWT type
S5008	3080978		Insulation block lower	BF275. EPOC500/600/800
S5010	3080980		Insulation block upper ceramic L=50 x 77 x 24 mmT	BF275. EPOC500/600/800
S5089	3081039		Gauge ring	

List of connected parts				
Ref. No	Model	Picture	Description	Application
S5009	3081297		Insulation block lower	EPOC1100. AP450/330 series
S5088	3082061		Conductivity piece adjusting gauge	
S5048			Feed roller D=50 x 24 mm	BF275. A320.A350
S5053			Roller C with SUS bearing assembly	A300.A320.A530
S5057			Pipe	A300.A320
S5060			Pipe	A530
S5061			Pipe	A600
S5063				A320
S5064				A530
S5086			Alinement block	Manual type
	3052771		Same as S414	
	3052772		Same as S415	
	3080069		Same as S600-2	
	3080296		Same as S602	
	3080297		Same as S601	AP200 for fine lines
	3080689		Same as S500	
	3080748		Same as S500	
	3080972		Same as S010	
	3082269		Same as S600-1	
	3084592		Same as S010	
			Guide driver	

List of Belt				
Ref. No	Model	Picture	Description	Application
				
S501	3050123		18 x 465 mm	Front wire conveyer belt (B type) 330W /A-set
S502	3050117		18 x 2600 mm	
S503	3050120		18 x 3155 mm	
S504	3050123		18 x 465 mm	Front wire conveyer belt (B type) AW330.AP300 /B-set
S505	2040061		18 x 2680 mm	
S506	2040068		18 x 3235 mm	
S507	3050125		42 x 1590 mm	Wire conveyer belt (C type) 330W.AW330.AP300 /AB-set
S508	3050126		42 x 1665 mm	
S509	3050123		18 x 465 mm	Front wire conveyer belt (B type) 453W /A-set
S510	3050118		18 x 2700 mm	
S511	3050121		18 x 3255 mm	
S512	3050127		42 x 1915 mm	Wire conveyer belt (C type) 453W /A-set
S513	3050128		42 x 2010 mm	
S514	3050123		18 x 465 mm	Front wire conveyer belt (B type) AW453 /B-set
S515	2040062		18 x 2780 mm	
S516	2040069		18 x 3335 mm	
S517	2040076		42 x 1945 mm	Wire conveyer belt (C type) AW453 /B-set
S518	2040077		42 x 2040 mm	
S519	2050115		18 x 1340 mm	Wire conveyer belt (B type) 654W /A-set
S520	2050119		18 x 2960 mm	
S521	2040074		18 x 3840 mm	
S522	2040048		18 x 1350 mm	Wire conveyer belt (B type) 654W /B-set
S523	2040066		18 x 3034 mm	
S524	2040075		18 x 3950 mm	
S525	2040774		18 x 3045 mm	Wire conveyer belt (A1 type) AP200 /A-set
S526	2040773		18 x 3085 mm	
S527	2040814		18 x 3434 mm	Wire conveyer belt (A1 type) AP200 /B-set
S528	2040813		18 x 3475 mm	
S529	2040996		18 x 3670 mm	Wire conveyer belt (A1 type) AP200.PGW200 /C-set
S530	2040995		18 x 3715 mm	
S531	2040610		18 x 3895 mm	Wire conveyer belt (A1 type) AP330.AP450 /B-set
S532	2040611		18 x 3970 mm	
S533	2040779		18 x 3870 mm	Wire conveyer belt (A1 type) AP330.AP450 /C-set
S534	2040817		18 x 3820 mm	
S535	2040497		18 x 1705 mm	Wire conveyer belt (A2 type) EPOC3WS.EPOC300 /A-set
S536	2040053		18 x 1740 mm	
S537	2040138		18 x 1690 mm	Wire conveyer belt (A2 type) EPOC300 /B-set
S538	2040139		18 x 1785 mm	
S539	2040049		18 x 1595 mm	Wire conveyer belt (A2 type) EPOC500 /A-set
S540	2040050		18 x 1630 mm	
S541	2040140		18 x 1580 mm	Wire conveyer belt (A2 type) EPOC500 /B-set
S542	2040141		18 x 1675 mm	
S543	2040055		18 x 1795 mm	Wire conveyer belt (A2 type) EPOC600 /A-set
S544	2040056		18 x 1830 mm	
S545	2040142		18 x 1780 mm	Wire conveyer belt (A2 type) EPOC600 /B-set
S546	2040143		18 x 1875 mm	

List of Belt				
Ref. No	Model	Picture	Description	Application
				
S547	2040058		18 x 1985 mm	Wire conveyer belt (A2 type) EPOC800 /A-set
S548	2040059		18 x 2020 mm	
S549	2040144		18 x 1970 mm	Wire conveyer belt (A2 type) EPOC800 /B-set
S550	2040145		18 x 2065 mm	
S551	2040536		18 x 2360 mm	Wire conveyer belt (A2 type) EPOC1100.AP1100
S552	2040634		18 x 2520 mm	
S553	2040534		18 x 1370 mm	Wire conveyer belt (A2 type) BF275AWT /A-set
S554	2040535		18 x 1390 mm	
S555	2041088		18 x 1890 mm	Conveyer belt (A1 type) EXC100.EXC100S 2 PCs/set
				<p>* A1 type : both side rubber type (18 mmW)</p> <p>* A2 type : one side rubber type (18 mmW)</p> <p>* B type : SG belt type (18 mmW)</p> <p>* C type : SG belt type (42 mmW)</p>